




Sunscreen Agents




1. Benzophenone-3
2. Octocrylene
3. Octyl dimethyl PABA
4. Octyl methoxycinnamate
5. Avobenzene
6. Ethylhexyl salicylate
7. Homosalate
8. Ethylhexyl triazone
9. Tinosorb® M
10. Tinosorb® S




Benzophenone-3




Octocrylene




Octyl dimethyl PABA




Octyl methoxycinnamate




Avobenzene




Ethylhexyl salicylate




Homosalate



Ethylhexyl triazone



Tinosorb® M



Tinosorb® S

Method Details

CONDITIONS

Column: Avantor® ACE® 3 C18
 Particle Size: 3 µm
 Dimensions: 150 x 4.0 mm
 Mobile Phase: A: MeOH/H₂O (85:15 v/v)
 B: THF

Gradient:	Time (mins)	% B
	0	0
	7	0
	10	50
	14	50
	16	0

Flow Rate: 0.85 mL/min
 Temperature: 30 °C
 Detection: UV, 310 nm
 Sample: 40 µg/mL each standard

ORDERING TABLE

Product	Details	Size	Part Number
Avantor® ACE® 3 C18	HPLC Column	150 x 4.0 mm	ACE-111-1504

Reproduced with permission of Department of Analytical Chemistry, Institute of Chemistry, University of Campinas, Brazil